Cookies bij Obelink.

Analytische cookies

Geven ons inzicht in het gebruik van de webshop, zodat we kunnen blijven verbeteren.

Cookiename	Set by?	Cookie type	Cookie purpose	Cookie expiration
MUID	.bing.com	Analytical	To store and track visits across websites.	1 year
_clck	.clarity.ms	Analytical	To store a unique user ID.	1 year
_clsk	.clarity.ms	Analytical	To store and combine pageviews by a user into a single session recording.	1 day
_cltk	.clarity.ms	Analytical	To store behavoir by a user into a session.	Session
c.gif	.clarity.ms	Analytical	Collects data on the user's navigation and behavior on the web- site. This is used to compile statistical reports and heatmaps for the website owner.	Session
CLID	.clarity.ms	Analytical	Used for advertising, site analytics, and other operational purposes	1 year
gsc	.getsitecontrol. com	Analytical	Registers data on visitors' website-behaviour. This is used for internal analysis and website optimization.	Persistent
gscs	.getsitecontrol. com	Analytical	Registers data on visitors' website-behaviour. This is used for internal analysis and website optimization.	Persistent
_dc_gtm_#	.google.com	Analytical	To store number of service requests.	1 minute
_ga	.google.com	Analytical	The cookie stores information anonymously and assigns a ran- domly generated number to recognise unique visitors.	2 years
ga#	.google.com	Analytical	To store and count pageviews.	2 years
ga#	.google.com	Analytical	To store and count pageviews.	2 years
_gaexp	.google.com	Analytical	To store ID's of experiments and sessions for A/B testing.	3 months
_gid	.google.com	Analytical	To store and count pageviews.	24 hours

_gat	.google.com	Analytical	Used by Google Analytics to throttle request rate	1 day
_hjAbsoluteSessionInProgress	.hotjar.com	Analytical	To store unique visits.	1 day
_hjFirstSeen	.hotjar.com	Analytical	To store if a customer has visited the site before.	1 day
hjIncludedInSessionSample#	.hotjar.com	Analytical	Collects statistics on the visitor's visits to the website, such as the number of visits, average time spent on the website and what pages have been read.	1 day
hjSessionUser#	.hotjar.com	Analytical	To store a unique user ID.	1 year
_hjTLDTest	.hotjar.com	Analytical	Registers statistical data on users' behaviour on the website. Used for in ternal analytics by the website operator.	Session
YSC	Youtube	Analytical	Youtube sets this cookie to track the views of embedded videos on Youtube pages.	Session
CONSENT	Youtube	Analytical	YouTube sets this cookie via embedded YouTube videos and reg- isters anonymous statistical data.	2 years
AEC	.google.com	Functional	This cookie is used to prevent spam, fraud, and abuse	6 Months

Functionele cookies Zorgen ervoor dat de webshop goed functioneert.

test_cookie	.google.com	Functional	Used to check if the users's browser supports requests.	15 minutes
hjSession#	.hotjar.com	Functional	To provide functions across pages.	1 day
add_to_cart	.obelink.nl	Functional	Captures the product SKU, name, price and quantity removed from the cart, and makes the information available for future integration by third-party scripts	Session
form_key	.obelink.nl	Functional	A security measure that appends a random string to all form submissions to protect the data from Cross-Site Request Forgery (CSRF).	3 months
guest-view	.obelink.nl	Functional	Stores the Order ID that guest shoppers use to retrieve their order status. Guest orders view. Used in Orders and Returns widgets.	Session
mage-banners-cache-storage	.obelink.nl	Functional	Local storage for Banner functionality.	Persistent
mage-banners-cache-timeout	.obelink.nl	Functional	This cookie is necessary for the cache function. A cache is used by the website to optimize the response time between the visitor and the website	Persistent

mage-banners-storeld	.obelink.nl	Functional	This cookie is necessary for the cache function. A cache is used by the website to optimize the response time between the visitor and the website	Persistent
mage-cache-sessid	.obelink.nl	Functional	The value of this cookie triggers the cleanup of local cache stor- age.	Session
mage-cache-storage	.obelink.nl	Functional	Local storage of visitor-specific content that enables ecommerce functions.	Session
mage-cache-storage-section-invali- dation	.obelink.nl	Functional	Forces local storage of specific content sections that should be invalidated.	Persistent
mage-cache-timeout	.obelink.nl	Functional	This cookie is necessary for the cache function. A cache is used by the website to optimize the response time between the visitor and the website	Persistent
mage-messages	.obelink.nl	Functional	Tracks error messages and other notifications that are shown to the user, such as the cookie consent message, and various error messages.	3 months
persistent_shopping_cart	.obelink.nl	Functional	Stores the key (ID) of persistent cart to make it possible to restore the cart for an anonymous shopper.	3 months
PHPSESSID	.obelink.nl	Functional	To provide functions across pages.	3 months
private_content_version	.obelink.nl	Functional	Appends a random, unique number and time to pages with cus- tomer content to prevent them from being cached on the server.	3 months
product_data_storage	.obelink.nl	Functional	Stores configuration for product data related to Recently Viewed / Compared Products.	Persistent
recently_compared_product	.obelink.nl	Functional	Stores product IDs of recently compared products.	3 months
recently_compared_product_previ- ous	.obelink.nl	Functional	Stores product IDs of previously compared products for easy navigation.	3 months
recently_viewed_product	.obelink.nl	Functional	Stores product IDs of recently viewed products for easy naviga- tion.	3 months
recently_viewed_product_previous	.obelink.nl	Functional	Stores product IDs of recently previously viewed products for easy navigation.	3 months
remove_from_cart	.obelink.nl	Functional	Captures the product SKU, name, price, and quantity added to the cart, and makes the information available for future integration by third-party scripts.	Session
section_data_ids	.obelink.nl	Functional	Stores customer-specific information related to shopper-initiated actions, such as wish list display and checkout information.	Session

store	.obelink.nl	Functional	Tracks the specific store view / locale selected by the shopper.	1 year
userID	.obelink.nl	Functional	Stores customer login.	2 years
X-Magento-Vary	.obelink.nl	Functional	Configuration setting that improves performance when using Varnish static content caching.	3 months
ABDEF	.bing.com	Marketing	This cookie is used by the Bing advertising network for advertising tracking purposes.	13 Months

Marketing cookies Helpen ons om jou zo relevant mogelijke producten te laten zien op onze website en websites van derden.

ВСР	.bing.com	Marketing	This cookie is used for advertisement tracking purposes.	1 Year
BFB	.bing.com	Marketing	This cookie is used for advertisement tracking purposes.	1 Year
OID	.bing.com	Marketing	This cookie is used by the Bing advertising network for advertising tracking purposes.	3 Months
OIDI	.bing.com	Marketing	This cookie is used by the Bing advertising network for advertising tracking purposes.	3 Months
OIDR	.bing.com	Marketing	This cookie is used by the Bing advertising network for advertising tracking purposes.	3 Months
SRCHD	.bing.com	Marketing	This cookie is an analytics service that connects data from the Bing advertising network with actions performed on the website.	13 Months
SRCHHPGUSR	.bing.com	Marketing	This cookie is an analytics service that connects data from the Bing advertising network with actions performed on the website.	13 Months
SRCHUID	.bing.com	Marketing	This cookie is an analytics service that connects data from the Bing advertising network with actions performed on the website.	13 Months
SRCHUSR	.bing.com	Marketing	This cookie is an analytics service that connects data from the Bing advertising network with actions performed on the website.	13 Months
USRLOC	.bing.com	Marketing	This cookie is used to understand user interaction with the web- site.	13 Months
_EDGE_S	.bing.com	Marketing	This cookie is used to retarget website visitors via Bing	Session
_HPVN	.bing.com	Marketing	This cookie is used by the Bing advertising network for advertising tracking purposes.	13 Months

_RwBf	.bing.com	Marketing	This cookie is used is set for advertisement tracking purposes.	1 Year
_SS	.bing.com	Marketing	This cookie indicates if the page viewed is the first in a session.	Session
_UR	.bing.com	Marketing	This cookie is used by the Bing advertising network for advertising tracking purposes.	13 Months
_uetsid	.bing.com	Marketing	Collects data on visitor beh aviou r from mu ltiple w ebsites, in order to presen t more relevan t advertisemen t - Th is also allow s th e w ebsite to limit th e n umber of times th at th ey are sh ow n th e same advertisemen t.	1 day
_uetsid_exp	.bing.com	Marketing	Contains the expiry-date for the cookie with corresponding name.	Persistent
_uetvid	.bing.com	Marketing	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.	1 year
_uetvid_exp	.bing.com	Marketing	Contains the expiry-date for the cookie with corresponding name.	Persistent
MR	.bing.com	Marketing	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.	7 days
SRM_B	.bing.com	Marketing	Tracks the user's interaction with the website's searchbar func- tion. This data can be used to present the user with relevant products or services	1 year
_uetsid	.bing.com	Marketing	To store and track visits across websites.	1 day
_uetsid	.clarity.ms	Marketing	Used to track visitors on multiple websites, in order to present relevant advertisement based on the visitor's preferences.	1 day
ANONCHK	.clarity.ms	Marketing	Registers data on visitors from multiple visits and on multiple websites. This information is used to measure the efficiency of advertisement on websites	1 day
SM	.clarity.ms	Marketing	Registers a unique ID that identifies the user's device during re- turn visits across websites that use the same ad network. The ID is used to allow targeted ads.	Session
APISID	.google.com	Marketing	to provide ad delivery or retargeting, provide fraud prevention.	2 years
HSID	.google.com	Marketing	to provide fraud prevention.	2 years
NID	.google.com	Marketing	The cookie contains a unique ID Google uses to remember user preferences and other information, such as preferred language, how many search results the user wishes to have shown per page and whether or not the user wishes to have Google's SafeSearch filter turned on.	6 Months
SAPISID	.google.com	Marketing	to provide ad delivery or retargeting, provide fraud prevention.	2 years

SEARCH_SAMESITE	.google.com	Marketing	to provide ad delivery or retargeting, provide fraud prevention.	Session
SID	.google.com	Marketing	to provide ad delivery or retargeting, provide fraud prevention.	2 years
SIDCC	.google.com	Marketing	To provide the identification of trusted web traffic.	1 year
SSID	.google.com	Marketing	to provide ad delivery or retargeting, provide fraud prevention.	2 years
Secure-1PAPISID	.google.com	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-1PSID	.google.com	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-1PSIDCC	.google.com	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-1PSIDTS	.google.com	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-3PAPISID	.google.com	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-3PSID	.google.com	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-3PSIDCC	.google.com	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-3PSIDTS	.google.com	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-ENID	.google.com	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
_gcl_au	.google.com	Marketing	To store and track conversions.	3 months
IDE	.google.com	Marketing	To provide ad delivery or retargeting.	13 months

UULE	.google.com	Marketing	This cookie sends precise location information from your browser to Google's servers so that Google can show you results that are relevant to your location	6 hours
AEC	.google.nl	Marketing	This cookie is used to prevent spam, fraud, and abuse	6 Month
APISID	.google.nl	Marketing	to provide ad delivery or retargeting, provide fraud prevention.	2 years
HSID	.google.nl	Marketing	to provide fraud prevention.	2 years
NID	.google.nl	Marketing	The cookie contains a unique ID Google uses to remember user preferences and other information, such as preferred language, how many search results the user wishes to have shown per page and whether or not the user wishes to have Google's SafeSearch filter turned on.	6 Months
SAPISID	.google.nl	Marketing	to provide ad delivery or retargeting, provide fraud prevention.	Session
SID	.google.nl	Marketing	to provide ad delivery or retargeting, provide fraud prevention.	2 years
SSID	.google.nl	Marketing	to provide ad delivery or retargeting, provide fraud prevention.	2 years
Secure-1PAPISID	.google.nl	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-1PSID	.google.nl	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-3PAPISID	.google.nl	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-3PSID	.google.nl	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
Secure-ENID	.google.nl	Marketing	Used by for targeting purposes to build a profile of the website visitor's interests in order to show relevant & personalised Google advertising.	2 Years
sqzl_abs	.obelink.nl	Marketing	Collects data on visitors. This in formation is used to assign visi- tors in to segments, making website advertisement more efficient.	30 days
sqzl_session_id	.obelink.nl	Marketing	Squeezely sets this cookie to store a unique session ID.	1 day

sqzl_vw	.obelink.nl	Marketing	This information is used to assign visitors into segments, making website advertising more efficient.	1 year
sqzllocal	.obelink.nl	Marketing	Squeezely sets this cookie to help with registering the pages that users have visited and sending users personalized ads.	1 year
VISITOR_INFO1_LIVE	Youtube	Marketing	YouTube sets this cookie to measure bandwidth, determining whether the user gets the new or old player interface.	180 days
yt-remote-device-id	Youtube	Marketing	YouTube sets this cookie to store the user's video preferences using embedded YouTube videos.	Persistent
yt.innertube::requests	Youtube	Marketing	YouTube sets this cookie to register a unique ID to store data on what videos from YouTube the user has seen.	Persistent
yt.innertube::nextld	Youtube	Marketing	YouTube sets this cookie to register a unique ID to store data on what videos from YouTube the user has seen.	Persistent
yt-remote-connected-devices	Youtube	Marketing	YouTube sets this cookie to store the user's video preferences using embedded YouTube videos.	Persistent